

ECBT2.E75770**Connectors for Use in Data, Signal, Control and Power Applications - Component**[Page Bottom](#)**Connectors for Use in Data, Signal, Control and Power Applications - Component**[See General Information for Connectors for Use in Data, Signal, Control and Power Applications - Component](#)**U I LAPP GMBH**SCHULZE-DELITZSCH STR 25
70565 STUTTGART, GERMANY

E75770

Circular connectors, "Series Circon", Model(s) LS1, R2.5**Component receptacles**, Model(s) Series H-BS, Series H-BVE, Series Sta

Connectors, Model(s) 70310100, 70311100, 70312100, 70314100, 70315100, 70316100, 70317100, 72154000, 72154002, 72154004, 72154006, 72154007, 72154008, 72154010, 72154012, 72154014, 72154016, 72154017, 72154018, 72154019, 72154020, 72154021, 72154022, 72154023, 72154024, 72154025, 72154026, 72154027, 72154028, 72154029, 72154030, 72154031, AB-B-HC, AB-B10-M8L-10-10.0PUR, AB-B10-M8L-10-5.0PUR, AB-B10-M8L-10-M16, AB-B4-3-L-15.0PUR-M8, AB-B4-M12-4-10.0PUR, AB-B4-M12-4-5.0PUR, AB-B4-M12-4-C, AB-B4-M12-8-10.0PUR, AB-B4-M12-8-5.0PUR, AB-B4-M12-8-C, AB-B4-M12L-4-10.0PUR, AB-B4-M12L-4-5.0PUR, AB-B4-M12L-4-C, AB-B4-M12L-8-10.0PUR, AB-B4-M12L-8-5.0PUR, AB-B4-M12L-8-C, AB-B4-M8L-4-10.0PUR, AB-B4-M8L-4-5.0PUR, AB-B4-M8L-4-M12, AB-B4-M8L-4-M16, AB-B6-6-L-M23, AB-B6-M8L-6-10.0PUR, AB-B6-M8L-6-5.0PUR, AB-B6-M8L-6-M12, AB-B6-M8L-6-M16, AB-B8-16-L-M23, AB-B8-16-M23, AB-B8-8-L-M23, AB-B8-M12-16-10.0PUR, AB-B8-M12-16-5.0PUR, AB-B8-M12-16-C, AB-B8-M12-8-10.0PUR, AB-B8-M12-8-5.0PUR, AB-B8-M12-8-C, AB-B8-M12L-16-10.0PUR, AB-B8-M12L-16-5.0PUR, AB-B8-M12L-16-C, AB-B8-M12L-8-10.0PUR, AB-B8-M12L-8-5.0PUR, AB-B8-M12L-8-C, AB-B8-M8L-8-10.0PUR, AB-B8-M8L-8-5.0PUR, AB-B8-M8L-8-M16, EPIC H-D 40 BSM, EPIC H-D 40 SCM, EPIC H-D 64 BCM, EPIC H-D 64 SCM, Epic H-Q*, H-A 3 BS, H-A 3 SS, H-A 4 BS, H-A 4 SS, MCB 4F-10399700, MCS 4F-10399600, Series EPIC MC, Series H-DD, Series H-EE, Series H-Q5, Series M-D

Series TB-H-BE or Series TB-H-D, may be followed by 6, 10, 16, 24, 40, 64, may be followed by A thru Z, may be followed by AV, RA, SN, may be followed by 1-24.

Series Thrift -D

Connectors Enclosure, Model(s) EPIC H-Q AG P, EPIC H-Q KG V16P, EPIC H-Q SGR V16P, EPIC H-Q TG V16P, EPIC H-Q TS V16P, EPIC H-Q WAG P**Connectors, receptacles**, Model(s) Series H-A, Series H-BE, Series H-D**Female connectors modules**, Model(s) Series EPIC MCB-HC**Female frames**, Model(s) EPIC MCR-10B, EPIC MCR-16B, EPIC MCR-24B, EPIC MCR-6B**Male connectors modules**, Model(s) Series EPIC MCS-HC**Male frames**, Model(s) EPIC MCR-10S, EPIC MCR-16S, EPIC MCR-24S, EPIC MCR-6S**Multi-pin connectors**, Model(s) H-D40BCM, H-D40SCM, H-D64BCM, H-D64SCM**Multi-pole connectors**, Model(s) EPIC H-Q 17 BC, EPIC H-Q 17 SC, EPIC H-Q 4/2 BC, EPIC H-Q 4/2 SC, EPIC H-Q 7 BC, EPIC H-Q 7 SC**Multiple connectors**, Model(s) H-BE10BF, H-BE16BF, H-BE24BF, H-BE32BF, H-BE48BF, H-BE6BF**Receptacle**, Model(s) Series H-D

* - May be followed by suffixes.

Marking: Company name or trademark , , **EPIC** and model designation on the device or carton.[Last Updated](#) on 2012-05-17[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2014 UL LLC



ECBT8.E75770 Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component

[Page Bottom](#)

Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component

[See General Information for Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component](#)**U I LAPP GMBH**

E75770

SCHULZE-DELITZSCH STR 25
70565 STUTTGART, GERMANY**Component receptacles**, Model(s) Series H-BS, Series H-BVE

Connectors, Model(s) AB-B-HC, AB-B10-M8L-10-10.0PUR, AB-B10-M8L-10-5.0PUR, AB-B10-M8L-10-M16, AB-B4-3-L-15.0PUR-M8, AB-B4-M12-4-10.0PUR, AB-B4-M12-4-5.0PUR, AB-B4-M12L-4-C, AB-B4-M12-8-10.0PUR, AB-B4-M12-8-5.0PUR, AB-B4-M12L-8-C, AB-B4-M12L-4-10.0PUR, AB-B4-M12L-4-5.0PUR, AB-B4-M8L-4-M12, AB-B4-M8L-4-M16, AB-B6-6-L-M23, AB-B6-M8L-6-10.0PUR, AB-B6-M8L-6-5.0PUR, AB-B6-M8L-6-M12, AB-B6-M8L-6-M16, AB-B8-16-L-M23, AB-B8-16-M23, AB-B8-8-L-M23, AB-B8-M12-16-10.0PUR, AB-B8-M12-16-5.0PUR, AB-B8-M12-16-C, AB-B8-M12-8-10.0PUR, AB-B8-M12-8-5.0PUR, AB-B8-M12-8-C, AB-B8-M12L-16-10.0PUR, AB-B8-M12L-16-5.0PUR, AB-B8-M12L-16-C, AB-B8-M12L-8-10.0PUR, AB-B8-M12L-8-5.0PUR, AB-B8-M12L-8-C, AB-B8-M8L-8-10.0PUR, AB-B8-M8L-8-5.0PUR, AB-B8-M8L-8-M16, Epic H-Q*, MCB 4F-10399700, MCS 4F-10399600, Series EPIC MC, Series H-DD

Series TB-H-BE or Series TB-H-D, may be followed by 6, 10, 16, 24, 40, 64, may be followed by A thru Z, may be followed by AV, RA, SN, may be followed by 1-24.

Connectors Enclosure, Model(s) EPIC H-Q AG P, EPIC H-Q KG V16P, EPIC H-Q SGR V16P, EPIC H-Q TG V16P, EPIC H-Q TS V16P, EPIC H-Q WAG P

Connectors, receptacles, Model(s) Series H-A, Series H-BE

Female connectors modules, Model(s) Series EPIC MCB-HC

Male connectors modules, Model(s) Series EPIC MCS-HC

Multi-pole connectors, Model(s) EPIC H-Q 17 BC, EPIC H-Q 17 SC, EPIC H-Q 4/2 BC, EPIC H-Q 4/2 SC, EPIC H-Q 7 BC, EPIC H-Q 7 SC

* - May be followed by suffixes.



Marking: Company name or trademark  ,  , EPIC , model designation and Recognized Component Mark for Canada,



on the device or carton.

[Last Updated](#) on 2012-05-17

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".